

**MARINE SEISMIC AND MARINE MAGNETOTELLURICS
IN GULF OF KUTCH REGION, GUJARAT, INDIA**



**PROJECT SUPPORTED
by
COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH**



**PROJECT EXECUTED
by
NATIONAL GEOPHYSICAL RESEARCH INSTITUTE
HYDERABAD – 500 007, INDIA
and
NATIONAL INSTITUTE OF OCEANOGRAPHY
Dona Paula, Goa-403 004, INDIA
2009**



Technical Report No: NGRI-2009-EXP-679

**MARINE SEISMIC AND MARINE MAGNETOTELLURICS
IN GULF OF KUTCH REGION, GUJARAT, INDIA**

Project Coordinator: Dr. T. Harinarayana

**PROJECT SUPPORTED
by
COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH**

**PROJECT EXECUTED
by
NATIONAL GEOPHYSICAL RESEARCH INSTITUTE
HYDERABAD – 500 007, INDIA
and
NATIONAL INSTITUTE OF OCEANOGRAPHY
Dona Paula, Goa–403 004, INDIA
2009**

CONTENTS

CHAPTER-1: MARINE MAGNETOTELLURIC STUDIES

- 1.1 Introduction
- 1.2 Background of the project
- 1.3 Special features of Marine Magnetotellurics
- 1.4 Global Scenario
- 1.5 Indian Context
- 1.6 Study Area and regional geology
- 1.7 Regional tectonics
- 1.8 Pre-Data Acquisition Preparations
- 1.9 Ship details
- 1.10 Details of instruments used in the survey
 - 1.10.1 Data Logger
 - 1.10.2 Sensors and Amplifiers
 - 1.10.3 Frame and Flotation
 - 1.10.4 Stability of the instrument at the bottom of the sea
 - 1.10.5 Acoustic Release and Navigation
 - 1.10.6 Stray-line Buoy
 - 1.10.7 Magnetometers
- 1.11 Data Acquisition
- 1.12 Data and its description
 - 1.12.1 Time series data
- 1.13 Land data description and details
- 1.14 Data processing procedures
 - 1.14.1 Spectral Data Analysis
 - 1.14.2 Transfer Functions
 - 1.14.3 Pseudo Sections
- 1.15 Modeling
 - 1.15.1 1D Stitched Sections
 - 1.15.2 2D Modeling
- 1.16 Acknowledgements
- 1.17 References

CHAPTER-2: MARINE SEISMIC SURVEY

- 2.1 List of Participants
- 2.2 Background
- 2.3 Research vessel and Geophysical Instruments
- 2.4 Seismic Experiments in the Gulf of Kutch
- 2.5 Details of Seismic Lines and OBS Positions
- 2.6 Summary of Daily Log
- 2.7 Seismic Reflection and Refraction Results
- 2.8 OBS Data Modeling

- 2.9 Mapping of Mesozoic Sediments in the Gulf of Kutch
- 2.10 Discussion and Conclusions
- 2.11 Acknowledgements

CHAPTER-3

PART – A: ECHOSOUNDING STUDIES – ONBOARD RV-A. BORIS PETROV

- 3.1 Introduction
- 3.2 Instrument
- 3.3 Data processing
- 3.4 Results
- 3.5 References

PART – B: GEOCHEMICAL STUDY OF SEA FLOOR SEDIMENTS

- 3.6 Introduction
- 3.7 Geology of Gulf of Kutch
- 3.8 Data Acquisition
- 3.9 Details of the core samples collected.
- 3.10 Data Analysis
- 3.11 Conclusions
- 3.12 Recommendations

CHAPTER-4: SUMMARY AND CONCLUSIONS

- 4.1 Background
- 4.2 Marine Magnetotellurics
- 4.3 Marine Seismic Studies
- 4.4 Other Studies
- 4.5 Detectability
- 4.6 Conclusions
- 4.7 Suggestions for future work

List of figures

- Fig.1.1 Location map of DGH indicative lines in the Gulf of Kutch region.
- Fig.1.2a Inspection of the Sagar Kanya vessel by SIO engineers.
- Fig.1.2b Visit of SIO engineers for discussions with Director, NCAOR, Dr. Rasik Ravindra and Dr. M. Sudhakar.
- Fig.1.3 Specifications of the Anchor for MMT survey.
- Fig.1.4a The team involved in Anchor preparation at the Osmania University, Civil Engineering Department, Hyderabad. Mr.Dave Peace from AOA Geophysics has also visited for inspection.
- Fig.1.4b Closure view of the two anchors prepared using non-magnetic material.
- Fig.1.5 Discussions held at NCAOR, Goa during debriefing function before conducting MMT investigations in the Gulf of Kutch region.
- Fig.1.6 MMT equipment ready for deployment. Long yellow probes represent electric field sensors. Blue cylindrical tubes correspond to magnetic coils.
- Fig.1.7 Induction magnetic coils developed at SIO and used for MMT investigations in Gulf of Kutch.
- Fig.1.8a Location of marine magnetotelluric stations in Gulf of Kutch and offshore regions.
- Fig.1.8b Location of marine magnetotelluric stations in Gulf of Kutch and offshore regions with profile numbers 1-5.
- Fig.1.9 Marine Magnetotelluric stations (Bogong _1, Bogong _2 , TAZZ _1, TAZZ _2) data time spans showing the duration of recording at each locations.
- Fig.1.10a Marine magnetotelluric time series data for the station S67 during high tide Period.
- Fig.1.10b Marine magnetotelluric time series data for the station S67 during at different Time.
- Fig.1.11a Examples of simultaneous recording of marine magnetotelluric signals at two locations S67, S57.
- Fig.1.11b Examples of simultaneous recording of marine magnetotelluric signals at three locations – S67, S57 and S64 .
- Fig.1.12a Locations of land MT stations (LTD and MPR) where the data was acquired continuously while MMT investigations were going on in Gulf of Kutch.
- Fig.1.12b Apparent resistivity and phase curves for the land station (MPR-Mapar) using long period data (~14 days).
- Fig.1.12c Apparent resistivity and phase curves for the land station (LTD-Lathedi) using long period data (~14 days).
- Fig.1.13 Example of flow diagram showing different steps involved in processing of marine magnetotelluric data.

- Fig.1.14 Power spectra computed for four channels (Hx, Hy, Ex and Ey) of three stations (67, 57 and 64).
- Fig.1.15 An example of spectrogram for the station 55 showing the signal frequency range from 10^1 to 10^{-3} Hz.
- Fig.1.16 An example of spectrogram for the station 31 showing the signal frequency range from 10^1 to 10^{-3} Hz.
- Fig.1.17 An example of spectrogram for the station 84 showing the signal frequency range from 10^1 to 10^{-3} Hz.
- Fig.1.18a An example of apparent resistivity data and phase data for the station 81 in the measured direction.
- Fig.1.18b An example of apparent resistivity and phase data for the same data station S81 considering the MT signals recorded on Kutch onland data. Significant improvement in the quality of data may be observed. The data between 7-15 seconds are not good due to wave noise.
- Fig.1.19a An example of apparent resistivity pseudo section for the profile 3.
- Fig.1.19b An example of phase pseudo section for the profile 3.
- Fig.1.19c An example of apparent resistivity pseudo section for the profile 4.
- Fig.1.19d An example of phase pseudo section for the profile 4.
- Fig.1.19e An example of apparent resistivity pseudo section for the profile 5.
- Fig.1.19f An example of phase pseudo section for the profile 5.
- Fig.1.20a 1D modeling results for the stations 26a (left side) and for the station S33a (right side).
- Fig.1.20b 1D modeling results for the stations 57 (left side) and for the station S74a (right side).
- Fig.1.20c 1D modeling results for the stations 81 (left side) and for the station S82 (right side).
- Fig.1.20d 1D modeling results for the stations 34a (left side) and for the station S32a (right side).
- Fig.1.21a Stitched 1D model along the profile 3 showing the subsurface resistivity as a function of depth.
- Fig.1.21d Stitched 1D model along the profile 4 showing the subsurface resistivity as a function of depth.
- Fig.1.21c Stitched 1D model along the profile 5 showing the subsurface resistivity as a function of depth.
- Fig.1.21d The information from 1D models correlated with the subsurface geology for profile-4.

- Fig.1.21e The information from 1D models correlated with the subsurface geology for profile-5.
- Fig.1.22a Bathymetry of the survey area along with locations of the stations. One can notice that the locations are covering both shallow (~50 m) and deeper (~2000 m) regions.
- Fig.1.22b Three profiles (X, Y and Z) along which 2-dimensional geoelectrical section has been derived using Occam inversion.
- Fig.1.22c Subsurface geoelectric section derived using Occam 2D inversion along the profile X .
- Fig.1.22d Subsurface geoelectric section derived using Occam 2D inversion along the profile Y.
- Fig.1.22e Subsurface geoelectric section derived using Occam 2D inversion along the profile Z.
- Fig.1.23a Subsurface section derived using Rodi and Mackie 2D inversion scheme considering the data from TE and TM modes along profile-4.
- Fig.1.23b Subsurface section derived using Rodi and Mackie 2D inversion scheme considering the data from TE and TM modes for profile-5.
- Fig.2.1 Research vessel “RV Sonne” deployed in the Gulf of Kutch for marine seismic surveys.
- Fig. 2.2 Survey tracks in the Gulf of Kutch.
- Fig. 2.3 Internal view of the Ocean Bottom Seismometer (OBS).
- Fig. 2.4 Closer view- Orthogonal setting of 3 geophones in OBS.
- Fig.2.5 Closer View–Orthogonal setting of 3 Geophones in OBS.
- Fig. 2.6 OBS units kept ready for deployment on the deck.
- Fig. 2.7 Deployment of an OBS unit.
- Fig. 2.8 Lowering the anchor weight followed by the OBS.
- Fig. 2.9 Attaching the surface float.
- Fig. 2.10 Schematic representation of OBS units on seafloor.
- Fig. 2.11 Lowering the Airgun.
- Fig. 2.12 Locating the OBS with the help of surface float.
- Fig. 2.13 Metallic stick used as Dredger for OBS without surface float.
- Fig. 2.14 Damaged ropes recovered without OBS.
- Fig.2.15 Thickness of Mesozoic sediments Kutch and Saurashtra regions determined from various geophysical studies.

- Fig. 2.16 A subsurface geological section derived from Magnetotelluric studies across Saurashtra region and correlated to deep drilling results near Lodhika (Sarma et. al., 1992).
- Fig. 2.17. Seismic Reflection Section along Profile 4.
- Fig.3.1. A functional sketch of Hydro sweep DS-2 in cross-fan calibration mode (Grant and Schreiber, 1990). The PFBs are approximately 1.53° apart.
- Fig 3.2. Schematic diagram of ATLAS PARASOUND echo sounder in deep sea echo sounding mode.
- Fig.4.1 The study region indicating the CSIR project lines DGH indicative lines.
- Fig. 4.2 MMT Stations occupied during September 3-15, 2007.
- Fig. 4.3 2D Geoelectric section along the profile –4 (TE+TM).
- Fig. 4.4 2D Geoelectric section along the profile –5 (TE+TM).
- Fig.4.5a Planned survey tracks for Marine seismic work in Gulf of Kutch.
- Fig.4.5b Marine seismic profiles acquired in the Gulf of Kutch.
- Fig.4.6 Velocity-depth plot along with the derived geological section on line – 4.
- Fig. 4.7 Data fit between the observed (dots) and computed (lines) for the station – 10 on the profile-1 with (left) and without (right) subtrappean sediments.

ABSTRACT

In view of the successful detection of buried sedimentary basins below the trap cover in northwestern part of the Saurashtra region and subsequent detection of large thickness of buried sediments in southern part of the Kutch region by NGRI, it was planned to initiate marine investigations in the Gulf of Kutch region located between the Saurashtra region towards south and the Kutch region towards north. For this purpose, a new geophysical technique namely marine magnetotellurics is planned on an 'experimental basis'. Additionally, marine seismics has also been planned in this region. Accordingly, NGRI, Hyderabad has taken up the marine magnetotelluric studies and National Institute of Oceanography (NIO), Goa has taken up marine seismic studies. The funding support for this project has come from CSIR as a part of network project. During discussions with DGH officials, NGRI and NIO have planned to take up a few additional profiles for DGH in the same region. The two surveys – marine magnetotellurics and marine seismics - are taken up in different dates as marine seismic signals may pose a problem to the marine magnetotelluric signals. Accordingly, 'RV Sonne' vessel has been engaged for marine seismics where as 'Akademic Boris Petrov' vessel has been utilized for marine magnetotelluric studies. Since the project involves introduction of a new geophysical technology in India, many problems have been faced before and during the execution of the project. Additionally, Gulf of Kutch region seems to be a problematic region due to high tides and high-speed backwaters etc.,

A total of 39 sites are occupied with MMT equipment of Scripps institution of Oceanography, San Diego, USA. A total of 282 line km of seismic reflection data and 356 line km of refraction data have been acquired using ocean bottom seismometers and using air gun as the seismic source. Due to various problems encountered during the operations as many as 13 OBS have been lost during the survey. Due to same logistic problems, similar to marine seismics as many as 9 MMT equipment have been lost in this region. The data are acquired along the selected profiles oriented in near E-W direction and also along NW-SE direction. The Tertiary sediment thickness is about 1 km towards western part and thinning towards eastern part in the Gulf followed by 1-2 km thick Deccan traps, 2-2.5 km. thick sub-trappean sediments followed by resistive basement. The thickness of sub-trappean sediments in deep (2 km) waters is estimated to be about 3 km. From the regional profile study oriented in NW-SE direction, covering the Saurashtra region towards south, Gulf in the middle and the Kutch region towards north, it is observed that large thickness of sediments (4-5 km) are observed in Kutch region.

CHAPTER-1

MARINE MAGNETOTELLURIC STUDIES

Project Leader: T.Harinarayana

Party chief: Prof. T. Harinarayana

Chief Scientist: Prof. Steven C. Constable

**National Geophysical Research Institute
Hyderabad**

**Scripps Institution of Oceanography
San Diego**

Participants

Marine Magnetotellurics – Kutch-offshore

NGRI, Hyderabad

- 1. Dr. T. Harinarayana**
- 2. Dr. R.S. Sastry**
- 3. Mr. D.N. Murthy**
- 4. Dr. K. Veeraswamy**
- 5. Dr. K.K. Abdul Azeez**
- 6. Mr. Prabhakar E.Rao**
- 7. Mr. G. Dhanunjaya Naidu**
- 8. Mr. K. Ravishankar**
- 9. Mr. Mahesh Narayanan**
- 10. Mr. S.R. Kishore**

SIO, San Diego

- 1. Dr. Steven Constable Charles**
- 2. Dr. C.V. Arnold S. Orange**
- 3. Cambria Dawn Colt**
- 4. Perez Jacob Manuel**
- 5. Weitmeyer Karen Andrea**
- 6. Christopher Armeding**

NCAOR, Goa (Multi-beam bathymetry)

- 1. Mr. Tyagi Abhishek**
- 2. Mr. Raghavan Nair Gireesh**
- 3. Mr. Dilip Amarnath**

DGH, New Delhi

Mr. D.K. Rawat

NGRI, Hyderabad.

Mr. D.J. Patil (Geochemical sampling)

Land Magnetotellurics – Kuch-onland

Ship Crew

- 1. Dr. Sharana Basava**
- 2. Mr. Arvind Kumar Gupta**
- 3. Mr. VTC Kumaraswamy**
- 4. Mr. K. Chinna Reddy**
- 5. Mr. M. Srinivas**

- 1. Vladimir (Captain)**
- 2. Nikolov (Chief Engineer)**

Modeling, interpretation and Report preparation

- 1. Dr. T. Harinarayana**
- 2. Mr. G. Virupakshi**
- 3. Dr. K. Veeraswamy**